



# WIREGUARD

FAST, MODERN, SECURE VPN TUNNEL

**Presented by Jason A. Donenfeld**



# NETDEV

**2.2**


The Technical Conference  
on Linux Networking

# Who Am I?

- Jason Donenfeld, also known as **zx2c4**.
- Background in exploitation, kernel vulnerabilities, crypto vulnerabilities, and been doing kernel-related development for a long time.
- Motivated to make a VPN that avoids the problems in both crypto and implementation that I've found in numerous other projects.

# What is WireGuard?

- Layer 3 secure network tunnel for IPv4 and IPv6.
  - Opinionated. Only layer 3!
- *Designed* for the Linux kernel
  - Slower cross platform implementations also.
- UDP-based. Punches through firewalls.
- Modern conservative cryptographic principles.
- Emphasis on simplicity and auditability.
- Authentication model similar to SSH's `authenticated_keys`.
- Replacement for OpenVPN and IPsec.
- Grew out of a stealth rootkit project.
  - Techniques desired for stealth are equally as useful for tunnel defensive measures.



# Blasphemy!

- WireGuard is blasphemous!
- We break several layering assumptions of 90s networking technologies like IPsec.
  - IPsec involves a “transform table” for outgoing packets, which is managed by a user space daemon, which does key exchange and updates the transform table.
- With WireGuard, we start from a very basic building block – the network interface – and build up from there.
- Lacks the academically pristine layering, but through clever organization we arrive at something more coherent.

# Easily Auditable

OpenVPN	Linux XFRM	StrongSwan	SoftEther	WireGuard
<u>116,730</u> LoC Plus OpenSSL!	<u>13,898</u> LoC Plus StrongSwan!	<u>405,894</u> LoC Plus XFRM!	<u>329,853</u> LoC	<b><u>3,782</u> LoC</b>

Less is more.

# Easily Auditable

IPsec  
(XFRM+StrongSwan)  
419,792 LoC

SoftEther  
329,853 LoC

OpenVPN  
116,730  
LoC

WireGuard  
3,782 LoC



# Simplicity of Interface

- WireGuard presents a normal network interface:

```
# ip link add wg0 type wireguard
# ip address add 192.168.3.2/24 dev wg0
# ip route add default via wg0
# ifconfig wg0 ...
# iptables -A INPUT -i wg0 ...
```

/etc/hosts.{allow,deny}, bind(), ...

- Everything that ordinarily builds on top of network interfaces – like eth0 or wlan0 – can build on top of wg0.

# Simplicity of Interface

- The interface *appears* stateless to the system administrator.
- Add an interface – wg0, wg1, wg2, ... – configure its peers, and immediately packets can be sent.
- Endpoints roam, like in mosh.
- Identities are just the static public keys, just like SSH.
- Everything else, like session state, connections, and so forth, is invisible to admin.

# Cryptokey Routing

- **The fundamental concept of any VPN is an association between public keys of peers and the IP addresses that those peers are allowed to use.**
- A WireGuard interface has:
  - A private key
  - A listening UDP port
  - A list of peers
- A peer has:
  - A public key
  - A list of associated tunnel IPs
  - Optionally has an endpoint IP and port

# Cryptokey Routing

PUBLIC KEY :: IP ADDRESS

# Cryptokey Routing

## Server Config

```
[Interface]
PrivateKey =
yAnz5TF+lXXJte14tji3zLMNq+hd2rYU
IgJBgB3fBmk=
ListenPort = 41414
```

```
[Peer]
PublicKey =
xTIBA5rboUvnH4htodjb6e697QjLERT1
NAB4mZqp8Dg=
AllowedIPs =
10.192.122.3/32,10.192.124.1/24
```

```
[Peer]
PublicKey =
TrMvSoP4jYQlY6RIzBgbssQqY3vxI2Pi
+y71lOWWXX0=
AllowedIPs =
10.192.122.4/32,192.168.0.0/16
```

## Client Config

```
[Interface]
PrivateKey =
gI6EdUSYvn8ugX0t8QQD6Yc+JyiZxIhp
3GIInSWRfWGE=
ListenPort = 21841
```

```
[Peer]
PublicKey =
HIgo9xNzJMWLKASShiTqIybxZ0U3wGLi
UeJ1PKf8ykw=
Endpoint = 192.95.5.69:41414
AllowedIPs = 0.0.0.0/0
```

# Cryptokey Routing

- Makes system administration very simple.
- If it comes from interface `wg0` and is from Yoshi's tunnel IP address of `192.168.5.17`, then the packet *definitely came from Yoshi*.
- The iptables rules are plain and clear.



# Demo

---

# Simple API

- Since wg (8) is a very simple tool, that works with ip (8), other more complicated tools can be built on top.
- Merge into iproute2 or keep standalone?
- Netlink-based API.
  - Just two commands: WG\_CMD\_GET\_DEVICE, WG\_CMD\_SET\_DEVICE
  - Set takes device parameters and nested peers with nested allowed IPs
    - Allows userspace to easily fragment massive sets over several separate messages
    - Model is deny-by-default so no races
  - Get returns device parameters and nested peers with nested allowed IPs
    - NLM\_F\_DUMP
- Roadmap: multicast event notifications for dynamic things.

# Easily Composed and Integrated

- Debian's ifupdown
- OpenWRT/LEDE – core repository
- OpenRC netifrc
- NixOS
- Buildroot
- LinuxKit (from the Docker people)
- EdgeOS / Vyatta / Ubiquiti devices
- Android – runs on the phone in my pocket
- systemd-networkd (WIP)
- NetworkManager (WIP)
- A million trivial shell scripts using wg(8)
- **Packages for 20 different distributions**

# Simple Composable Tools: wg-quick

- Simple shell script
- # wg-quick up vpn0  
# wg-quick down vpn0
- /etc/wireguard/vpn0.conf:

```
[Interface]
Address = 10.200.100.2
DNS = 10.200.100.1
PrivateKey = uDmW0qECQZWPv4K83yg26b3L4r93HvLRca1997IGlEE=
```

```
[Peer]
PublicKey = +LRS630XvyCoVDs1zmWR0/6gVkfQ/pTKEZvZ+Ceh01E=
AllowedIPs = 0.0.0.0/0
Endpoint = demo.wireguard.io:51820
```

# Timers: A Stateless Interface for a Stateful Protocol

- As mentioned prior, WireGuard appears “stateless” to user space; you set up your peers, and then it *just works*.
- A series of timers manages session state internally, invisible to the user.
- Every transition of the state machine has been accounted for, so there are no undefined states or transitions.
- Event based.

# Timers

User space sends packet.

- If no session has been established for 120 seconds, send handshake initiation.

No handshake response after 5 seconds.

- Resend handshake initiation.

Successful authentication of incoming packet.

- Send an encrypted empty packet after 10 seconds, if we don't have anything else to send during that time.


No successfully authenticated incoming packets after 15 seconds.

- Send handshake initiation.

# Network Namespace Tricks


- The WireGuard interface can live in one namespace, and the physical interface can live in another.
- Only let a Docker container connect via WireGuard.
- Only let your DHCP client touch physical interfaces, and only let your web browser see WireGuard interfaces.
- Nice alternative to routing table hacks.
- Means we keep a reference to the source namespace when the `struct net_device` is created.

# Namespaces: Containers



```
# ip addr
1: lo: <LOOPBACK,UP,LOWER_UP>
   inet 127.0.0.1/8 scope host lo
17: wg0: <NOARP,UP,LOWER_UP>
   inet 192.168.4.33/32 scope global wg0
```

# Namespaces: Personal VPN



```
# ip addr
1: lo: <LOOPBACK,UP,LOWER_UP>
   inet 127.0.0.1/8 scope host lo
17: wg0: <NOARP,UP,LOWER_UP>
    inet 192.168.4.33/32 scope global wg0
```

# Policy Routing

- Can set the fwmark on outgoing UDP packets (SO\_MARK)
- Works decently, but `not_oif / SO_NOTOIF` would be much simpler:

```
struct flowi fl = {  
    .not_oif = dev->ifindex  
};
```

*or*

```
setsockopt(sock, SO_NOTOIF, ifr.ifr_ifindex);
```

- Reduces need for complex ip-rules and `suppress_prefix`.
- Avoids routing loops.

# Stealth

- Should not respond to any unauthenticated packets.
- Hinder scanners and service discovery.
- Service only responds to packets with correct crypto.
- Not chatty at all.
  - When there's no data to be exchanged, both peers become silent.
- Nice for efficiency on mobile too.



# Static Allocations, Guarded State, and Fixed Length Headers

- All state required for WireGuard to work is allocated during config.
- No memory is dynamically allocated in response to received packets.
  - Eliminates entire classes of vulnerabilities.
- All packet headers have fixed width fields, so no parsing is necessary.
  - Eliminates *another* entire class of vulnerabilities.
- No state is modified in response to unauthenticated packets.
  - Eliminates *yet another* entire class of vulnerabilities.

# Crypto Designed for Kernel

- Design goals of guarded memory safety, few allocations, etc have direct effect on cryptography used.
  - Ideally be 1-RTT.
- Fast crypto primitives.
- Clear division between slowpath (workqueues) for ECDH and fastpath for symmetric crypto.
- Handshake in kernelspace, instead of punted to userspace daemon like IKE/IPsec.
  - Allows for more efficient and less complex protocols.
  - Exploit interactions between handshake state and packet encryption state.

# Formal Symbolic Verification

- The cryptographic protocol has been formally verified using Tamarin.

```
Proof scripts
lemma session_uniqueness:
  all-traces
  "(V pki pkr peki pekr psk ck #i.
  (IKeys( <pki, pkr, peki, pekr, psk, ck> ) @ #i) -
  (~{ peki2 pekr2 #k.
  (IKeys( <pki, pkr, peki2, pekr2, psk, ck> ) @ #k) ^
  (~{ #k = #i }))) ^
  (V pki pkr peki pekr psk ck #i.
  (RConfirm( <pki, pkr, peki, pekr, psk, ck> ) @ #i) -
  (~{ peki2 pekr2 psk2 #k.
  (RConfirm( <pki, pkr, peki2, pekr2, psk2, ck> ) @ #k) ^
  (~{ #k = #i }))))"
  by sorry

lemma secrecy_without_psk_compromise:
  all-traces
  "(V pki pkr peki pekr psk ck #i #j.
  ((IKeys( <pki, pkr, peki, pekr, psk, ck> ) @ #i) ^
  (K( ck ) @ #j)) -
  (({ #j2. Reveal_PSK( psk ) @ #j2 } v (psk = 'nopsk')) ^
  (RConfirm( <pki, pkr, peki, pekr, psk, ck> ) @ #i) ^
  (K( ck ) @ #j)) -
  (({ #j2. Reveal_PSK( psk ) @ #j2 } v (psk = 'nopsk')))"
  by sorry

lemma key_secretary [reuse]:
  all-traces
  "(V pki pkr peki pekr psk ck #i #i2.
  ((IKeys( <pki, pkr, peki, pekr, psk, ck> ) @ #i) ^
  (RKeys( <pki, pkr, peki, pekr, psk, ck> ) @ #i2)) -
  (((~{ #j. K( ck ) @ #j } ) v
  { #j #j2.
  (Reveal_AK( pki ) @ #j) ^ (Reveal_EphK( peki ) @ #j2))) v
  { #j #j2.
  (Reveal_AK( pkr ) @ #j) ^ (Reveal_EphK( pekr ) @ #j2)))"
  by sorry

lemma identity_hiding:
  all-traces
  "(V pki pkr peki pekr ck surrogate #i #j.
  (((RKeys( <pki, pkr, peki, pekr, ck> ) @ #i) ^
  (Identity_Surrogate( surrogate ) @ #i)) ^
  (K( surrogate ) @ #j)) -
  ((({ #j1. Reveal_AK( pkr ) @ #j1 } v
  { #j1. Reveal_AK( pki ) @ #j1 } ) v
  { #j1. Reveal_EphK( peki ) @ #j1}))"
  by sorry

Lemma: key_secretary
Applicable Proof Methods: Goals sorted according to heuristics
adapted to stateful injective protocols

1. simplify
2. induction

a. autoprove (A. for all solutions)
b. autoprove (B. for all solutions) with proof-depth bound 5

Constraint system
last: none

formulas:
{ pki pkr peki pekr psk ck #i #i2.
(IKeys( <pki, pkr, peki, pekr, psk, ck> ) @ #i) ^
(RKeys( <pki, pkr, peki, pekr, psk, ck> ) @ #i2)
^
({ #j. (K( ck ) @ #j)) ^
(V #j #j2.
(Reveal_AK( pki ) @ #j) ^ (Reveal_EphK( peki ) @ #j2) => ! ) ^
(V #j #j2.
(Reveal_AK( pkr ) @ #j) ^ (Reveal_EphK( pekr ) @ #j2) => ! )
}
}

equations:
subst:
conj:

lemmas:
V id id2 ka kb #i #j.
(Paired( id, ka, kb ) @ #i) ^ (Paired( id2, ka, kb ) @ #j)
=>
#i = #j

V pki pkr peki pekr psk ck #i.
(IKeys( <pki, pkr, peki, pekr, psk, ck> ) @ #i)
=>
({ #j.
(RKeys( <pki, pkr, peki, pekr, psk, ck> ) @ #j)
^
#j < #i ) v
(psk = 'nopsk') v
({ #j. (Reveal_PSK( psk ) @ #j) ^ #j < #i))
Loading, please wait... Cancel
```

# Multicore Cryptography

- Encryption and decryption of packets can be spread out to all cores in parallel.
- Nonce/sequence number checking, `netif_rx`, and transmission must be done in serial order.
- Requirement: fast for single flow traffic in addition to multiflow traffic.


# Multicore Cryptography

- Parallel encryption queue is multi-producer, multi-consumer
  - Lockless algorithms?
  - Lockless linked list is difficult, but lockless ring buffer is more common
- Single queue, shared by all CPUs, rather than queue per CPU
  - No reliance on process scheduler, which tends to add latency when waiting for packets to complete
  - Serial transmission queue waits on ordered completion of parallel queue items
  - Using `netif_receive_skb` instead of `netif_rx` to push back on encryption queue
- Bunching bundles of packets together to be encrypted on one CPU results in high performance gains
  - How to choose the size of the bundle?

# Generic Segmentation Offload

- By advertising that the `net_device` supports GSO, WireGuard receives massive “super-packets” all at the same time.
- WireGuard can then split the super-packets by itself, and bundle these to be encrypted on a single CPU all at once.
- Each bundle is a linked list of skbs, which is added to the ring buffer queue.

# Multicore Cryptography



# Multicore Cryptography

- How to determine queue lengths?
- One approach is to just have a fixed queue length, that isn't overly big.
- Queues could alternatively use `struct dql`, or full on `fq_code1`.
- If `fq_code1`, use via `qdisc`, or directly like certain wifi drivers?
- Fairness between peers is consideration.
- Advantage of `IFF_NO_QUEUE` is that we can return `errno` to userspace directly.
  - `-ENOKEY`, `-EDESTADDRREQ`, `-EPROTONOSUPPORT`
  - There's ICMP for this too, though.
    - NAT is still an issue.

# In-band Messaging

- Some folks wish to send in-band configuration messages.
  - Dynamic IP addresses, other horrible things.
  - New fangled post-quantum key exchanges.
  - Other monstrous things too!
- What situations necessitate in-band control messages?
  - How much can be done out-of-band or statically, during the actual key exchange step?

# In-band Messaging

- Three approaches toward in-band messaging:
  1. AF\_WIREGUARD
    - Elegant, sleek, obvious
    - Hard to justify adding a new AF
    - Host of interesting unforeseeable possibilities and uses
  2. Netlink Events
    - More typical way of doing it these days
    - Unintrusive
    - Reinforces it being for control messages, not for real data
  3. Not supporting it
    - Keep doing things out of band!
    - Simpler, cleaner

# Sticky Sockets

- WireGuard listens on all addresses, but manages to always reply using the right source address.
- Caching of destination address and interface of incoming packets, but ensures that this stickiness isn't too sticky.
- Does the right thing every time – interface disconnects, routes change, etc.
- Actually maps mostly nicely to possible semantics of `IP_PKTINFO`, so userspace implementations can do this too, sort of.

# Secret Handling

- Extensive use of `memzero_explicit`.
- Much crypto-related code in the kernel forgets or does not care.
  - KTLS!
- Netlink is very problematic, since it uses skbs.
  - New skb flag? `SKB_ZERO_ON_FREE`?

# Crypto API Improvements

- WireGuard uses its own internal crypto API and primitives.
- Road ahead for working these enhancements into kernel's crypto API.
- Direct function calls, without abstraction layer.
- Advanced protocols need to change key frequently.
- Avoid allocations.
- WIP: formally verified implementations from INRIA.

# Crypto API: Batching of FPU Context


- Saving and restoring FPU registers multiple times is inefficient.
- Save these once per thread, by hoisting calls out `kernel_fpu_begin` outside encryption loops.
- Straightforward approach, but lazy restoration might be cleaner and require less state passing.

# Performance


- Being in kernel space means that it is *fast* and low latency.
  - No need to copy packets twice between user space and kernel space.
- ChaCha20Poly1305 is extremely fast on nearly all hardware, and safe.
  - AES-NI is fast too, obviously, but as Intel and ARM vector instructions become wider and wider, ChaCha is handily able to compete with AES-NI, and even perform better in some cases.
  - AES is exceedingly difficult to implement performantly and safely (no cache-timing attacks) without specialized hardware.
  - ChaCha20 can be implemented efficiently on nearly all general purpose processors.
- Simple design of WireGuard means less overhead, and thus better performance.
  - Less code → Faster program? Not always, but in this case, certainly.

# Performance

## Bandwidth



## Ping Time



# Continuous Integration

- Extensive test suite, trying all sorts of topologies and many strange behaviors and edge cases.
- Every commit is tested on every kernel.org kernel (and a few more), and built and run fresh in QEMU
- Tests on x86\_64, ARM, AArch64, MIPS

# build.wireguard.com

Linux 4.14-rc8 (x86_64)	Success
Linux 4.14-rc8 (aarch64)	Success
Linux 4.14-rc8 (arm)	Success
<pre>Show build details.  WireGuard Test Suite on Linux 4.14.0-rc8 armv7l  [+] Mounting filesystems... [+] Module self-tests: * routing table self-tests: pass * nonce counter self-tests: pass * curve25519 self-tests: pass * chacha20poly1305 self-tests: pass * blake2s self-tests: pass * ratelimiter self-tests: pass [+] Enabling logging... [+] Launching tests... [+] ip netns add wg-test-44-0 [+] ip netns add wg-test-44-1 [+] ip netns add wg-test-44-2</pre>	
Linux 4.14-rc8 (mips)	Success
Linux 4.13.11 (x86_64)	Success
Linux 4.9.60 (x86_64)	Success
Linux 4.4.96 (x86_64)	Success
Linux 4.1.45 (x86_64)	Success
Linux 4.10.70 (x86_64)	Success

# Upstream Roadmap

- Multicast Netlink events.
- Maybe in-band messages.
- **Biggest blocker is crypto API.**
- Eyeing beginning of next year for initial [PATCH] post.
- Already integrated into many distributions and sees regular testing on network intense projects like LEDE/OpenWRT and LinuxKit.
- Commercial VPN providers already using it.
- Regular snapshot releases are being made.
- Now is time to start soliciting upstream feedback.

- Available now for all major distros:  
[wireguard.com/install](http://wireguard.com/install)
- Build it directly into the kernel or compile it as a module.
- Peer-reviewed paper published in NDSS 2017,  
available at: [wireguard.com/papers/wireguard.pdf](http://wireguard.com/papers/wireguard.pdf)
- `$ git clone`  
<https://git.zx2c4.com/WireGuard>
- [wireguard@lists.zx2c4.com](mailto:wireguard@lists.zx2c4.com)  
[lists.zx2c4.com/mailman/listinfo/wireguard](http://lists.zx2c4.com/mailman/listinfo/wireguard)
- #wireguard on Freenode
- **STICKERS FOR EVERYBODY:**  
[lists.zx2c4.com/pipermail/wireguard/2017-May/001338.html](http://lists.zx2c4.com/pipermail/wireguard/2017-May/001338.html)
- Plenty of work to be done: looking for interested devs.

Jason Donenfeld

- Personal website:  
[www.zx2c4.com](http://www.zx2c4.com)
- Email:  
[Jason@zx2c4.com](mailto:Jason@zx2c4.com)
- Company:  
[www.edgesecurity.com](http://www.edgesecurity.com)

